

Summary

Signal Path1	
Level and Gain	🍼 PASSED
THD+N	🍼 PASSED
Frequency Response	🍼 PASSED
Signal to Noise Ratio	🍼 PASSED
Stepped Frequency Swe	ep 🛛 🔮 PASSED
Stepped Level Sweep	S PASSED
Sequence Result:	
Sequence Result:	🔮 PASSED

Signal Path1 : Level	and Gain
Waveform:	Sine
Generator Level:	6.150 Vrms
DC Offset:	0.000 V
Frequency:	1.00000 kHz
Low-pass Filter:	Signal Path
RMS Level (3/17/2025 12:08:55.989 PM)	
Ch1 1.253 kW	

Signal Path1 : THD+N

Waveform:	Sine	
Generator Level:	6.150 Vrms	
DC Offset:	0.000 V	
Frequency:	1.00000 kHz	
High-pass Filter:	Elliptic	
High-pass Frequency:	20 Hz	
Low-pass Filter:	Elliptic	
Low-pass Frequency:	20 kHz	
Weighting Filter:	Signal Path	
Notch Tuning Mode:	Measured Frequency	
THD+N Ratio (3/17/2025 12:08:59.004 PM)		
01 4 0 05 40 4 4 9/		

Ch1 0.954314 %

3/17/2025 12:09 PM



Signal Path1 : Frequency Response		
Start Frequency:	20.0000 Hz	
Stop Frequency:	20.0000 kHz	
Generator Level:	3.075 Vrms	
DC Offset:	0.000 V	
EQ:	None	
Pre-Sweep:	0.000 s	
Sweep:	350.0 ms	
Extend Acquisition By:	50.00 ms	
Secondary Source:	None	
Measured 1	3/17/2025 12:09:01 PM	



Mode: Normalized at Reference

AP

Ref Frequency: 1.00000 kHz

Result: 🝼 PASSED

Signal Path1 : Signal to Noise Ratio			
Waveform:	Sine		
Generator Level:	3.150 Vrms		
DC Offset:	0.000 V		
Frequency:	1.00000 kHz		
High-pass Filter:	Elliptic		
High-pass Frequency:	20 Hz		
Low-pass Filter:	Elliptic		
Low-pass Frequency:	20 kHz		
Weighting Filter:	Signal Path		
Signal to Noise Ratio (3/17/2025 12:09:04.575 PM)			
Ch1 93.671 dB			





Signal Path1 : Stepped Frequency Sweep		
Waveform:	Sine	
Generator Level:	3.075 Vrms	
DC Offset:	0.000 V	
EQ:	None	
Start Frequency:	20.0000 kHz	
Stop Frequency:	20.0000 Hz	
Step Type:	Logarithmic	
Number of Points:	31	
High-pass Filter:	Elliptic	
High-pass Frequency:	20 Hz	
Low-pass Filter:	Signal Path	
Weighting Filter:	Signal Path	
Phase Ref Channel:	Ch1	
Measured 1	3/17/2025 12:09:22 PM	
THD+N Ratio (3/17/2025 12:09:22.179 PM)		

AP Sequence Report THD+N Ratio 3/17/2025 12:09:22.179 P 100 Data 50 AP Ch1 20 10 5 2 1 0.5 THD +N Ratio (%) 0.2 0.1 0.05 0.02 0.01 0.005 0.002 0.001 0.0005 0.0002 0.0001 20 50 100 200 500 1k 2k 5k 10k 20k Frequency (Hz)









